JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
68(4), 1995, pp. 481–484

INDEX TO VOLUME 68

(Entries with page numbers preceded by S1 refer to articles published in Special Publication Number 1, Supplement to the April 1995 issue.)

Abel, C. A., 326
Acrididae, density of, 178; egg parasites of, 74; associated with winter wheat, 415
Agelaia spp., competition, 279
Ageniella, nearctic species, 451; ***arapaho***, n. sp., 456
Agromyzidae, 127
Akbar, S., 373
Alcock, J., 85
Alebra of new world, 103; key to species, 104; ***bella***, n. sp., 109; ***castaneae,*** n. sp., 110; ***elegans***, n. sp., 110; ***floridae,*** n. sp., 111; ***thoracica***, n. sp., 112
alfalfa, for control of *Lygus,* 143; response to potato leafhopper, 159
alfalfa weevil, population dynamics, 268; parasitoids, 269
algae, periphytic, in karst spring-fed streams, S1-33
Alloperla natchez, eggs and nymphs, 120
Alphitobius diaperinus, digestive system, 195
amaranth, control of *Lygus* in, 143; other pests, 145
Ambrysus hungerfordi, range, 476
Americanura, key to species, 442; ***medellini***, n. sp., 437; ***izabalana***, n. sp., 440
Amobia distorta, escape from wasp nest, 473
Anderson, N. H., S1-65
Anderson, T. M., S1-65
Andrena vicina, bionomics, 51; parasites, 62
Anthophoridae, burrow construction for overwintering, 116
Aphididae, 149
aphids, 408, 444
Apidae, nesting biology, 238
Apis mellifera, dispersal of swarms, 320; use of pigment patterns, 377; use of flower form, 388
Armstrong, J. S., 478
apsen, agromyzid pest of, 127
attractants, chemical, for corn rootworm, 169

Bailey, W. C., 143
banded sunflower moth, 263
Barry, B. D., 326
Bathyplectes spp., parasitoids of alfalfa weevil, 269; *curculionis,* emergence patterns, 470
bees, burrow of *Xylocopa,* 116; chromosomes of *Bombus,* 290; classification of Xeromelissinae, 332
Belostoma flumineum, swimming speed, 468
benthic communities, in karst springs, S1-18, S1-26
behavior, of males of *Rhagoletis,* 206
Berlocher, S. H., 133
Binodoxys **conei**, n. sp., 445
binomial sampling technique, 178
biodiversity, conservation of in prairie communities, 1; in springs, S1-1, S1-4; in Illinois springs, S1-93
bionomics, of *Andrena vicina,* 51
Black, W. C., 303
Blackwood, M. A., S1-132
blueberry maggot, host plants of, 133
Bombus, chromosomes, 290
Bowles, D. E., 476
Braconidae, Aphidiinae, 408, 444; key, 447; North American Microgastrinae, 245; parasitoids of cereal aphids, 408; of hop aphid, 444
Brewer, G. J., 263
Brewer, M. J., 149, 346
Broce, A. B., 303
Brown, G. C., 27
Brown, L. D., 120
bumble bees, chromosomes of, 290
Buschman, L. L., 425
Byers, R. A., 159

Calvin, D. D., 159
Camacho, R. F., 35
Cane, J. H., 238
cannibalism, in *Mischocyttarus,* 67
Carlton, C. E., 195
carrion beetles, 214
cavity-nesting honey bees, 399
Cecidomyiidae, parasitoids of, 184
Ceratopogonidae, of thermal spring effluent, S1-77
cereal aphids, parasitoids of, 408
checklist, of microgastrine Braconidae of North America, 245
Chiltana, new genus, 373; ***baluchi***, n. sp., 374
Chironomidae, of European cold springs, S1-108; of springs in Central High Plains, S1-132; of Big Springs, Kansas, S1-152; of thermal spring effluent, S1-77
Chloroperlidae, 120
Chloropidae, infesting millet, 478
chlorpyrifos, effect on Russian wheat aphid, 346
chromosomes, of bumble bees, 290
Chrysoperla carnea, predator on Russian wheat aphid, 313
Cicadellidae, genetic diversity, 35; revision of *Alebra,* 103; potato leafhopper, 159
Clark, K. M., 143
classification, of Xeromelissinae, 332
Clouse, R. M., 67, 184
cocoon, of *Rubrica nasuta,* 234
Collembola, new Mexican species, 95; new neotropical species 437
Colletidae, Xeromelissinae, 332; keys, 333, 335
conservation, of prairie communities, 1
Covich, A. P., S1-42

Coward, S. J., 371
Cranshaw, W. S., 127

Davis, F. M., 326
De Gooyer, T. A., 268
Dick, G. L., 425
Dictyopharidae, 373; key to genera in Pakistan, 374
digestive system, histomorphology of, 195
dispersal distance of honey bee swarms, 320
Diuraphis noxia, 149; predation on, 313; response to chlorpyrifos, 346
diversity, of Silphidae in Kansas, 214; of aquatic insects in springs, S1,1-165
division of labor, roles of body size and dominance in *Polybia,* 43
dominance in *Polybia,* 43
Downing, H., 473
drought, role in spring permanence, S1-50
Dysart, R. J., 74

Eckberg, T. B., 127
Empoasca fabae, on alfalfa, 159
England, S., 470
Empemeroptera, of Iowa, 20
Epler, J. H., S1-18
Erman, D. C., S1-50
Erman, N. A., S1-50
erratum, Mayflies of Iowa, 243
esterase staining in horn fly, 303
European corn borer, in resistant maize, 326
Evans, H. E., 451

Ferrington, L. C., Jr., S1-1, S1-132, S1-152
flower form, used by foraging bees, 388
foraging, in social wasps, 279; pigment patterns in flower, 377; flower forms, 388
Foster, R. N., 7
fungal pathogen of mites, 425
fungus gnat, damage to legume seedlings, 240

galls, on aspen by *Hexomyza,* 127; size in relation to parasitoids, 184
genetic diversity, in potato leafhopper, 35
Giles, K. L., 268
Gillespie, R. L., 415
Goddard, J., 119
Gómez-Anaya, J. A., 95
grasshoppers, density of, 178; in winter wheat, 415; trophic associations, 7; egg parasites, 74

habitat separation among Chironomidae, S1-152
Hadisoesilo, S., 399
Haematobia irritans, esterases, 303
Hall, S. M., S1-132
Hamilton, K. G. A., 103
Hammack, L., 169
Hammond, P. C., 1
Haploperla chukcho, eggs and nymphs, 120
Harman, J. L., 159
Harris, M. A., S1-93
Hayford, B. L., S1-77
Hein, M. K., S1-18
Herrmann, S. J., S1-77

Hesler, L. S., 169, 461
Hexomyza schineri, 127
Hildebrand, D. F., 27
Hinman, T., 189
histomorphology, of digestive system of tenebrionid, 195
honey bee, swarms, 320; use of pigment patterns, 377; use of flower form, 388; cavity nesting, 399
horn flies, esterases, 303
host plant, effect on aphid and predator, 313
Hunt, J. H., 279
hydrogeology of springs in relation to biodiversity, S1-4
Hypera postica, population dynamics, 268

ichneumonid parasitoid of alfalfa weevil, 470
Indonesia, cavity-nesting bees, 399
insect fauna of springs in semiarid rangelands, S1-65
Ixodes marxi, 119

Jackson, J. J., 461
Jackson, L. K., 119
Jeanne, R. L., 43, 279
Johnson, L., 468
Johnson, N. F., 224
Jones, T. A., 313
Julian, J., 189

Kaltenbach, J. E., 346
Karst springs, benthic communities in, S1-18
karyotype, variation in *Bombus,* 290
Kasu, T., 27
Kavanaugh, J. L., S1-152
Kavanaugh, R. G., S1-152
Keeping, M. G., 279
Kemp, W. P., 415
Klubertanz, T. H., 20
Knight, S. L., 468
Kondratieff, B. C., 478
Kruse, K. C., 468

Lamb, J. M., 388
landmark defense, by male Tachinidae, 85
leafhoppers, new species of *Alebra,* 103; *Empoasca* on alfalfa, 159
Legg, D. A., 178
Legg, D. E., 149
Levesque, C., 355
Levesque, G.-Y., 355
Lindegaard, C., S1-108
Lingafelter, S. W., 214
lipoxygenase products in *Phaseolus,* 27
Lockwood, J. A., 178
Lygus lineolaris, 143

macroinvertebrates, benthic, in karst spring-fed streams, S1-35; in Illinois springs, S1-99
Martins, R. P., 234
mating systems, in Tachinidae, 87
Matthews, R. W., 371
Mattson, R. A., S1-18
Mayflies, of Iowa, 20

McAllister, J. C., 195
McCaffrey, J. P., 7
Mecoptera, 224
Meixner, M., 399
Melandrena, review of biology, 51
Merope tuber, 224
Messina, F. J., 206, 313
Michener, C. D., 332
Microgastrinae of North America, annotated checklist, 245
Miliczky, E. R., 51
millet, infested by chloropid flies, 478
Miridae, *Lygus lineolaris,* 143
mites, fungal pathogen of, 425
Monoctonus **washingtonensis,** n. sp., 408
mud-dauber wasp, predation on prepupae, 371
multiple pest resistance, in maize, 326
Myers, R. L., 143

Naucoridae, 476
Neanuridae, 437; new Mexican species, 95
nematodes, for suppression of corn rootworm, 461
Neozygites adjarica, fungal pathogen of mites, 425
nest structure, in *Andrena vicina,* 51
nest usurpation, in *Mischocyttarus,* 67
nesting biology, of *Svastra,* 238
Nielson, D. C., 313
Nomada spp., parasites of *Andrena,* 62
northern corn rootworm, 169
Notice of annual meeting at the University of Kansas, 450
Notice of annual meeting and other events at University of Missouri, 102

O' Donnell, S., 43
Ornithodoros kelleyi, 119
Osgood, E. A., 51
Ostrinia nubilalis, in resistent maize, 326
Otis, G. W., 399
Owen, R. E., 290

Palacios-Vargas, J. G., 95, 437
Paleonura, Mexican species, 95; ***pescadorius***, n. sp., 95; ***colimana***, n. sp., 96
parasitoid wasps, of cereal aphids, 408; of hop aphid, 444
parasitoids, of alfalfa weevil, emergence, 470; of gall midge, 184
Payne, J. A., 133
Pedigo, L. P., 268
Peng, C., 263
Petrikin, J., 377
phenylpropanoid attractants, 169
Phillippe, L. R., S1-93
pigment patterns, used by foraging bees, 377
Pike, K. S., 408, 444
Pilcher, S. D., 478
pitfall traps, baited, 214
Polybia occidentalis, division of labor, 43
Pompilidae, 451
poplar twiggall fly, 127
population dynamics, of alfalfa weevil, 268
population fluctuation, in spring community, S1-42
population variation, in Russian wheat aphid exposed to chlorpyrifos, 346
potato leafhopper, on alfalfa, 35
prairie communities, conservation of, 1
Praon **yakimanum**, n., sp., 411
Psithyrus, chromosomes, 290
pupal exuviae, of Chironomidae, S1-132
pyrethroid resistance, in horn fly, 303

Quinn, M. A., 7

rainfall, effect on Russian wheat aphid, 149
raspberry plantations, staphylinid beetles in, 355
recruitment, to food, 279
Reed, P. C., S1-93
Reuter, K. C., 7
Rhagoletis spp., on shared host, 206; *mendax,* 133
Richards, K. W., 290
Riedell, W. E., 80
Rios, G., 437
rove beetles, in raspberry plantations, 355
Russian wheat aphid, effects of weather on, 149; predator of, 313; response to chlorpyrifos, 346

sawfly, shoot-galling, life history, 189
Scelionidae, parasitic on grasshopper eggs, 74
Schmidt, F. J., S1-152
Schmidt, J. O., 320
Sciaridae, damage to legume seedlings, 240
scramble competition, by male Tachinidae, 85
sea daisy gall midge, 184
seasonal occurrence of fungus mites, 425
Shakila-Mushtaq, 373
shoot-galling sawfly, 189
Silphidae, 214
Sites, R. W., 476
Skinner, D. Z., 35
Smith, A. P., 85
Soares, L. A., 234
soil moisture, effect on corn rootworm, 80
special publication series, announcement, 244
species richness, of Trichoptera in springs, S1-50
Sphecidae, cocoon structure, 234; emergence of *Trypoxylon,* 473
spider mites, effects of feeding on bush beans, 27
spider wasps, trophic associations, 7
Sprague, J., 468
springs, biodiversity in, S1-1, S1-93; affected by hydrogeology, S1-4; Chironomidae in, S1-108, S1-132, S1-152
spring community, population fluctuation, S1-42
spring habitats, in semiarid rangelands, S1-64: species separation among, S1-152
Springer, T. L., 240
Staphylinidae, in raspberry plantations, 355
Stark, B. P., 120
Starý, P., 408, 444
Steelman, C. D., 195
Steinernema carpocapsae, nematode, 461
Subler, J. K., 206
Sublette, J. E., S1-77
Sugiura, N., 116
sunflower, damage to achenes, 263
sunflower moth, 263

sunflower seed weevil, 263
Sutter, G. R., 80
Svastra, nesting biology, 238
swarm dispersal in European honey bees, 320
Szalanski, A. L., 303

Tachinidae, mating systems, 85
tarnished plant bug, 143
temperature, effect of on biodiversity in springs, S1-9; effects on Russian wheat aphid, 149
Tenebrionidae, histomorphology of digestive system, 195
Tenthredinidae, 189
Tephritidae, 133; behavior of *Rhagoletis* spp., 206
Tetranychidae, feeding on bush beans, 27; in corn, attacked by fungus, 425
thermal spring effluent, chironomids and ceratopogonids in, S1-77
ticks, new state records, 119
traps, pitfall, 355; flight intercept, 355
Trichoptera, species richness in springs, S1-50
trophic associations, of insects on prairie, 7
Trypoxylon politum, escape from nest, 473; predation on prepupae, 371
tufted titmouse, predator on mud-dauber, 371
two-spotted spider mite, 27

van der Kamp, G., S1-4
variation, in male gonostyli, 224
Varza, D., S1-42
Vespidae, foraging, 279; nest usurpation and cannibalism, 67

Walgenbach, D. D., 7
wasps, foraging by, 279
Water Bugs (*Belostoma*), swimming ability, 468; *Ambrysus,* range, 476
water quality, S1-11
Webb, D. W., S1-93
Wells, H., 377, 388
western corn rootworm, 80; suppression by nematodes, 461
Wetzel, M. J., S1-93
wheat, grasshoppers in, 415
White, W. H., 326
Whitfield, J. B., 245
Wilkes, A., 290
Williams, W. P., 326
Wilson, R. L., 326
Wiseman, B. R., 326
wolf spiders, trophic associations, 7

Xeromelissinae, classification, 332
Xylocopa, overwintering burrow, 116